Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20030064718"	US-PGPUB; USPAT	OR	ON	2005/07/20 08:23
S2	3	"6522881"	US-PGPUB; USPAT	OR	ON	2005/07/20 08:25
S3	1	"20020094778"	US-PGPUB; USPAT	OR	ON	2005/07/20 08:26
S4	. 1	"20020060995"	US-PGPUB; USPAT	OR	ON	2005/07/20 08:26
S5	5	(access adj point) same (optimal or best or strong\$4) same (location or signal) same (instruction or outline or advice or advis\$3 or suggest\$4)	US-PGPUB; USPAT	OR	ON	2005/07/20 09:33
S6	363	(access adj point) same ((signal adj strength) or (best or optimal)) same (location or position)	US-PGPUB; USPAT	OR	ON	2005/07/20 09:36
S7	3151	(location or position) same (best or optimal) same (throughput or signal) same (instruction or information)	US-PGPUB; USPAT	OR	ON	2005/07/20 09:38
S8	23	S6 and S7	US-PGPUB; USPAT	OR	ON	2005/07/20 10:40
S9	279	455/41.2	US-PGPUB; USPAT	OR	ON	2005/07/20 10:40
S10	889	455/438	US-PGPUB; USPAT	OR	ON	2005/07/20 10:40
S11	1488	455/437	US-PGPUB; USPAT	OR	ON	2005/07/20 10:41
S12	1116	455/439	US-PGPUB; USPAT	OR	ON	2005/07/20 10:41
S13	11	(US-20020060995-\$ or US-20020094778-\$ or US-20020147031-\$ or US-20030064718-\$ or US-20040052232-\$ or US-20040081140-\$ or US-20040203889-\$ or US-20040260808-\$).did. or (US-6522881-\$ or US-6625135-\$ or US-6873611-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:19

S18	11	(US-20020060995-\$ or US-20020094778-\$ or US-20020147031-\$ or US-20030064718-\$ or US-20040052232-\$ or US-20040081140-\$ or US-20040203889-\$ or US-20040260808-\$).did. or (US-6522881-\$ or US-6625135-\$ or US-6873611-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:18
S19	1017	(instrucion or recommandation or suggestion) same (display or screen)	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:20
S20	11	(US-20020060995-\$ or US-20020094778-\$ or US-20020147031-\$ or US-20030064718-\$ or US-20040052232-\$ or US-20040081140-\$ or US-20040203889-\$ or US-20040260808-\$).did. or (US-6522881-\$ or US-6625135-\$ or US-6873611-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:20
S21	0	S19 and S20	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:20
S22	279	455/41.2	US-PGPUB; USPAT	OR	ON	2005/07/20 13:21
S23	889	455/438	US-PGPUB; USPAT	OR	ÓN	2005/07/20 13:21
S24	1488	455/437	US-PGPUB; USPAT	OR	ON	2005/07/20 13:21
S25	1116	455/439	US-PGPUB; USPAT	OR	ON	2005/07/20 13:21
S26	0	S22 and S23 and S24 and S25 and S20	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:21
S27	2490	S22 or S23 or S24 or S25 or S20	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:21
S28	. 0	S19 and S27	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:22
S29	0	455/S	US-PGPUB; USPAT	OR	OFF	2005/07/20 13:22
S30	136403	"455"/	US-PGPUB; USPAT	OR	ON	2005/07/20 13:22
S31	85991	"455"/\$	US-PGPUB; USPAT	OR	ON	2005/07/20 13:23
S32	46	S19 and S31	US-PGPUB; USPAT	OR	ON	2005/07/20 13:27

				r 	r	
S33	11	S19 and S31 and ((other or different or general or universal)) adj5 display	US-PGPUB; USPAT	OR	ON	2005/07/20 13:32
S34	426	(uplink or downlink) same (access adj point)	US-PGPUB; USPAT	OR	ON	2005/07/20 13:35
S35	330	(uplink and downlink) same (access adj point)	US-PGPUB; USPAT	OR	ON	2005/07/20 13:36
S36	0	S20 and S35	US-PGPUB; USPAT	OR	ON	2005/07/20 13:36
S37	12	S27 and S35	US-PGPUB; USPAT	OR	ON	2005/07/20 13:40
S38	5	S37 and (signal adj strength)	US-PGPUB; USPAT	OR	ON	2005/07/20 13:43
S39	620	(server near5 connect\$4) with (access adj point)	US-PGPUB; USPAT	OR	ON	2005/07/20 13:45
S40	0	S39 and S20	US-PGPUB; USPAT	OR	ON	2005/07/20 13:44
S41	1089	(server near5 connect\$4) same (access adj point)	US-PGPUB; USPAT	OR	ON	2005/07/20 13:45
S42	1	S41 and S20	US-PGPUB; USPAT	OR	ON	2005/07/20 13:45
S43	112	S41 and S30	US-PGPUB; USPAT	OR	ON	2005/07/20 13:46
S44	5	S20 and server	US-PGPUB; USPAT	OR	ON	2005/07/20 13:48
S45	9	S20 and packet	US-PGPUB; USPAT	OR	ON	2005/07/20 13:48
S46	11	(US-20020060995-\$ or US-20020094778-\$ or US-20020147031-\$ or US-20030064718-\$ or US-20040052232-\$ or US-20040081140-\$ or US-20040203889-\$ or US-20040260808-\$).did. or (US-6522881-\$ or US-6625135-\$ or US-6873611-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:32
S47	1	S46 and (GPS)	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:44
S48	36	(particular adj seating adj (location or area))	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:46
S49	136510	"455"/	US-PGPUB; USPAT	OR	ON	2005/07/21 07:45
S50	3	S49 and S48	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:45

S51	309	((particular or best) adj (seating or service) adj (location or area))	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:48
S52	11	(US-20020060995-\$ or US-20020094778-\$ or US-20020147031-\$ or US-20030064718-\$ or US-20040052232-\$ or US-20040081140-\$ or US-20040203889-\$ or US-20040260808-\$).did. or (US-6522881-\$ or US-6625135-\$ or US-6873611-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:47
S53	0	S52 and S51	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:47
S54	110	S49 and S51	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:47
S55	44	select\$4 same ((particular or best) adj (seating or service) adj (location or area))	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:49
S56	14	S55 and S49	US-PGPUB; USPAT	OR	OFF	2005/07/21 07:59
S57	284	((seating or restuarant or dinning) near5 (area or location)) same select\$4	US-PGPUB; USPAT	OR	OFF	2005/07/21 08:02
S58	6	S57 and S49	US-PGPUB; USPAT	OR	OFF	2005/07/21 08:00
S59	381	((seating or (lab\$4 adj station)) near5 (area or location)) same select\$4	US-PGPUB; USPAT	OR	ON	2005/07/21 08:03
S60	12	S59 and S49	US-PGPUB; USPAT	OR	ON	2005/07/21 08:04
S61	6	S60 not S58	US-PGPUB; USPAT	OR	ON	2005/07/21 08:04
S62	4075	(((access adj point) or AP) near3 (select\$4 or determin\$5 or manag\$5))	US-PGPUB; USPAT	OR	OFF	2006/01/04 17:12
S63	66	(((access adj point) or AP) near3 (select\$4 or determin\$5 or manag\$5)) near10 ((data adj rate) or throughput)	US-PGPUB; USPAT	OR	OFF	2006/01/04 17:13
S64	92583	"455"/\$	US-PGPUB; USPAT	OR	OFF	2006/01/04 17:13
S65	29	S63 and S64	US-PGPUB; USPAT	OR	OFF	2006/01/04 17:13
S66	5287	((access adj point) or ap) and ((data adj rate) or (data near2 throughput))	US-PGPUB; USPAT	OR	ON	2006/01/08 23:23

S67	4911	S66 and (test\$4 or determin\$4)	US-PGPUB;	OR	ON	2006/01/08 23:23
		,	USPAT			, , , , , ,
S68	92723	"455"/\$	US-PGPUB; USPAT	OR	ON	2006/01/08 23:24
S69	1335	S68 and S67	US-PGPUB; USPAT	OR	ON	2006/01/08 23:24
S70	7919	test\$4 and (packet near4 (bit adj rate) or (bit adj per adj second) or (bit near2 measur\$4) or (test near2 (bit near2 rate)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:38
S71	99316	"455"/\$	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:25
S72	103088	"370"/\$	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:25
S73	1218	S71 and S70	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:25
S74	1546	test\$4 same (packet near4 (bit adj rate) or (bit adj per adj second) or (bit near2 measur\$4) or (test near2 (bit near2 rate)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:27
S75	848	test\$4 near10 (packet near4 (bit adj rate) or (bit adj per adj second) or (bit near2 measur\$4) or (test near2 (bit near2 rate)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:27
S76	92	S75 and S71	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:31

			Γ			
S77		S76 and (ap or (access adj point))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:29
S78	543	test\$4 near10 (packet near4 (bit adj rate) or (test near2 (bit near2 rate)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:38
S79	98	test\$4 near10 (packet near4 (bit adj rate) or (test near2 (bit adj rate)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:09
S80	15	test\$4 near10 (packet near4 (bit adj rate))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:49
S81	83	S79 not S80	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:49
S82	16	S81 and (wireless or mobile or portable)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:49
S83	95	(test\$4 near10 (packet near4 (bit adj rate) or (test near2 (bit adj rate)))) and ((test\$4 or determin\$4) near2 (throughput or bandwidth or (bit adj rate)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON ·	2006/05/17 20:39
S84	12	(test\$4 near10 (packet near4 (bit adj rate))) and ((test\$4 or determin\$4) near2 (throughput or bandwidth or (bit adj rate)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:28

S85	10	((user or (device or terminal or mobile or wireless or portable)) adj2 (send\$4 or transmit\$4) adj2 (packet or bit or sequence)) same ((test\$4 or measur\$4 or determin\$4) adj2 (bandwidth or capacity or throughput))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:07
S86	0	((user or (device or terminal or mobile or wireless or portable)) adj2 initiat\$4 adj2 (send\$4 or transmit\$4) adj2 (packet or bit or sequence)) same ((test\$4 or measur\$4 or determin\$4) adj2 (bandwidth or capacity or throughput))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:49
S87	0	((ap or (access adj point)) adj2 initiat\$4 adj2 (send\$4 or transmit\$4) adj2 (packet or bit or sequence)) same ((test\$4 or measur\$4 or determin\$4) adj2 (bandwidth or capacity or throughput))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:39
S88	1	((ap or (access adj point)) adj2 (send\$4 or transmit\$4) adj2 (packet or bit or sequence)) same ((test\$4 or measur\$4 or determin\$4) adj2 (bandwidth or capacity or throughput))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:40
S89	65	((user or (device or terminal or mobile or wireless or portable)) adj2 initiat\$4 adj2 (send\$4 or transmit\$4) adj2 (packet or bit or sequence))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:54
S90	0	((user or (device or terminal or mobile or wireless or portable)) adj2 initiat\$4 adj2 (send\$4 or transmit\$4) adj2 (packet or bit or sequence)) same ((bandwidth or capacity or throughput))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:55
S91	10	((client) adj2 initiat\$4 adj2 (send\$4 or transmit\$4) adj2 (packet or bit or sequence))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:54

						
S92	0	((client) adj2 initiat\$4 adj2 (send\$4 or transmit\$4) adj2 (packet or bit or sequence)) same ((bandwidth or capacity or throughput))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 19:56
S93	5	((client) adj2 initiat\$4 adj2 (send\$4 or transmit\$4)) same ((bandwidth or capacity or throughput))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:07
S94	1	(user or device or terminal or mobile or wireless or portable) near2 initiat\$4 near2 (bandwidth or throughput or (bit adj rate)) near3 (test\$4 or determin\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:12
S95	1	(user or device or terminal or mobile or wireless or portable) near3 initiat\$4 near3 (bandwidth or throughput or (bit adj rate)) near4 (test\$4 or determin\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:13
S96	7	(user or device or terminal or mobile or wireless or portable) near4 initiat\$5 near4 (bandwidth or throughput or (bit adj rate)) near5 (test\$5 or determin\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:29
S97	3611	(user or device or terminal or mobile or wireless or portable) near3 initiat\$5 near4 (test\$5 or determin\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:16
S98	8	((user or device or terminal or mobile or wireless or portable) near3 initiat\$5 near4 (test\$5 or determin\$4)) same ((measur\$4 or determin\$5 or test\$4 or provid\$4) adj2 (capacity or throughput or bandwidth))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:23
S99	18	((user or device or terminal or mobile or wireless or portable) near3 (initiat\$5 or start\$4 or originat\$4) near4 (test\$5 or determin\$4)) same ((measur\$4 or determin\$5 or test\$4 or provid\$4) adj2 (capacity or throughput or bandwidth))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:24

	<u> </u>					
S10 0	10	S99 not S98	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:24
S10 1	8	((capacity or throughput or (bit adj rate)) near3 (test\$4 or determin\$4 or measur\$4)) near2 ((initiat\$4 or start\$4 or begun or begin\$4) near3 (user terminal or (access adj point) or station or ap or pda or laptop or computer))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:38
S10 2	27865	(test\$4 or measur\$4 or determin\$4) near3 (throughput or bandwidth or (bit adj rate))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:42
S10 3	99316	"455"/\$	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:41
S10 4	2518	S102 and S103	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:41
S10 5	571	((test\$4 or measur\$4 or determin\$4) near3 (throughput or bandwidth or (bit adj rate))) same ((send\$4 or transmit\$4) adj2 (packet or bit))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:43
S10 6	50	S103 and S105	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 20:43